

Innovation. Quality. Solutions.

Lorox™ Linuron

herbicides

**LINURON HERBICIDES OFFER GROWERS A CHOICE OF FORMULATION:
EITHER A DRY FLOWABLE GRANULE OR A LIQUID**

ACTIVE INGREDIENT

LOROX LINURON DF herbicide contains 500 g/kg linuron (Group C herbicide)

LOROX LINURON Flowable herbicide contains 480 g/L linuron

LINURON

LINURON is a selective broad spectrum herbicide that controls a range of broadleaf weeds and grasses.

FEATURES

- Excellent crop safety
- Broad spectrum weed control
- Easy to use, with choice of formulation
- Multi crop registration

BACKGROUND

Independent field trials have demonstrated the efficacy of LINURON in a broad range of situations. Crop safety and unmatched weed control was observed in carrot, potato, onion, parsnip, coriander, cereals, maize, soybean and sweet corn.



MODE OF ACTION

LINURON is a foliar absorbed and residual herbicide that is active on weeds present at application by absorption through the foliage and subsequent germination of weeds through root absorption. For best results, LINURON should be applied to a well cultivated, weed-free surface which is free of trash and clods. Cultivation after application of LINURON will reduce the level of weed control and crop injury may also result. LINURON is a member of the urea group of herbicides, and inhibits photosynthesis at photosystem II (Group C mode of action).

Innovation. Quality. Solutions.

Lorox™ Linuron

herbicides

APPLICATION

LINURON DF

For best results when applying LINURON DF sufficient moisture is required, either by irrigation or rainfall within 3-4 days of application to carry the product into the soil profile.

The dry flowable formulation needs to be mixed with water and applied as a spray. Partially fill the spray tank with water. Measure the amount of product required as indicated in the directions for use table. Add this to the spray tank with the agitation system engaged. Top up tank to the correct water volume. To prevent nozzle blockage, strainer and nozzle screens should be 50 mesh or coarser.

During application, continuous agitation is required to keep LINURON in suspension.

LINURON FLOWABLE

Formulation must be diluted in water as indicated in the directions for use table

DO NOT add wetting agents, surfactants or crop oils.

DO NOT apply to weeds under severe stress due to, for example, very dry or windy conditions, disease, etc.

DO NOT allow mixture to stand in vat for prolonged periods, as it is difficult to re-suspend and may lose effectiveness.

DO NOT apply with a misting machine

COMPATIBILITY

It is not recommended to mix LINURON DF with other crop protection products.

WITHHOLDING PERIODS

CARROTS AND CORIANDER:

– DO NOT HARVEST FOR 10 WEEKS AFTER APPLICATION

BARLEY, MAIZE, OATS, ONIONS, PARSNIPS, POTATOES, SOYBEANS, SWEET CORN, WHEAT:

– NOT REQUIRED WHEN USED AS DIRECTED

SPRAY EQUIPMENT HYGIENE

Before and after spraying LINURON DF or LINURON Flowable all spray equipment (including tanks, nozzles, filters and spraylines) should be cleaned thoroughly with tank and equipment cleaner such as All Clear® DS

SUMMARY

LINURON is most effective when applied to a well cultivated, weed-free surface which is free of trash and clods.

