



**Australian Government**  
**Australian Pesticides and  
Veterinary Medicines Authority**

**PERMIT TO ALLOW EMERGENCY USE  
OF A REGISTERED AGVET CHEMICAL PRODUCT**

**FOR CONTROL OF PARASITIC NEMATODES IN STRAWBERRY RUNNERS**

**PERMIT NUMBER – PER86746**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 5 JULY 2018 to 31 JULY 2021**

**Permit Holder:**

DRISCOLLS AUSTRALIA PTY LTD  
Level 2, 275 Robinsons Road  
RAVENHALL VIC 3023

**Persons who can use the product under this permit:**

Staff employed or contracted by Sweets Strawberry Runners at Stanthorpe.

## CONDITIONS OF USE

### Products to be used:

NEMACUR 400 NEMATOCIDE LIQUID [APVMA No. 33295]

Plus other REGISTERED PRODUCTS

Containing: 400 g/L FENAMIPHOS as their only active constituent.

### Directions for Use:

Crop Type / Situation	Target Pest / Situation	Application Rate
STRAWBERRY RUNNER NURSERY PRODUCTION (non-fruiting) crops only	Leaf and bud nematode ( <i>Aphelenchoides</i> spp.)  Soil Production	100 mL product / 100 L OR 8 mL product / 10 m row
	Root-knot nematode ( <i>Meloidogyne</i> spp.)  Post-lifting Dip Treatment	Prepare dilute solution  100 mL product / 100 L

### Critical Use Comments:

#### General

- DO NOT apply more than two (2) applications of fenamiphos (either as a foliar spray or post-lifting dip treatment) per crop per season observing a minimum re-treatment interval of 14 days between applications.
- Follow *Safety Directions* and *First aid Instructions* on the product label.

#### Foliar Treatment

- Apply as a ground based foliar spray to the point of run-off ensuring that the crowns of plants are well covered.
- DO NOT re-enter treated areas for 24 hours following application. If prior entry is required persons must wear protective clothing (minus respirator) as included on the product label.

#### Post-lifting Dip Treatment

- Remove all dead plant tissue prior to treatment.
- Immerse plants in dip solution for 10 minutes, then remove and allow to drain and dry.
- Wear elbow-length chemical resistant gloves when dipping and when handling dipped material.
- DO NOT dispose of spent dip on site. Spent dip waste must be transported to a facility that can lawfully receive it.

### Jurisdiction:

QLD only; specifically Sweets Strawberry Runners at Stanthorpe.

### Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

***To Avoid Crop Damage***

The sensitivity of some cultivars/varieties of strawberries to be treated under this permit has not been fully evaluated under all growing conditions. It is advisable, therefore, to only treat a small number of runners by foliar spray or by post-lifting dip treatment to ascertain the reaction of host plants before treating a larger amount or the whole crop.

Issued by the Australian Pesticides and Veterinary Medicines Authority