

DANGEROUS POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

NEMACUR[®] 400

Nematicide Liquid

ACTIVE CONSTITUENT: 400 g/L FENAMIPHOS (an anti-cholinesterase compound)

GROUP	1B	INSECTICIDE
--------------	-----------	--------------------

For the control of nematodes on aloe vera planting material and banana planting material as specified in the Directions for Use Table.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE OPENING OR USING

American Vanguard Australia Pty Ltd
ABN: 61 629 600 906
Unit 4, 482 Kingsford Smith Drive
Hamilton, QLD, 4007
Phone Number: (07) 3555 1980

APVMA Approval No.: 33295/0715



DIRECTIONS FOR USE**Restrains:**

DO NOT dispose of spent dip on site. Spent dip waste must be transported to a facility that can lawfully receive it.

Crop	Pest	State	Rate	Critical Comments
Aloe vera planting material	Soil borne plant parasitic nematodes	Qld, NSW, WA only	1 L/100 L water	Air dry or cure prepared pups for 48 hours prior to treatment. Immerse unpared pups in Nematicur 400 Nematicide Liquid dip solution for 30 minutes. Allow to drain and dry. Wear elbow-length chemical resistant gloves when dipping and when handling dipped material.
Banana planting material	Soil borne plant parasitic nematodes	Qld, NSW, WA only	100 mL/100 L water	Pare the planting material to remove all dead tissue. Immerse planting material in Nematicur 400 Nematicide Liquid dip solution for 10 minutes. Allow to drain and dry. Wear elbow-length chemical resistant gloves when dipping and when handling dipped material.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

THIS PRODUCT IS TOO HAZARDOUS FOR USE IN THE HOME GARDEN.

WITHHOLDING PERIODS:

BANANA AND ALOE VERA PLANTING MATERIAL: NOT REQUIRED WHEN USED AS DIRECTED.

EXPORT OF TREATED PRODUCE

Growers should note that MRLs or import tolerances do not exist in all markets for edible produce treated with Nematicur 400 Nematicide Liquid. If you are growing edible produce for export, please check with AMERICAN VANGUARD AUSTRALIA PTY LTD for the latest information on MRLs and import tolerances before using Nematicur 400 Nematicide Liquid.

GENERAL INSTRUCTIONS

MIXING

Add the required quantity of Nemacur by pump through the dry break connection system to the dip vat full of water while stirring.

Agitate before use if mixture has been left overnight.

ACCELERATED BIODEGRADATION

As with other soil insecticides the effectiveness of this product may be reduced as a result of the soil microflora developing the ability to biodegrade it at an accelerated rate, particularly after repeated application. If unacceptable control occurs, immediately contact your AMERICAN VANGUARD AUSTRALIA representative for detailed information. This product should not be used where the user suspects the soil microflora have developed the ability to degrade it at an accelerated rate.

AMERICAN VANGUARD AUSTRALIA Pty Ltd accepts no responsibility, and intends by this statement to exclude liability, if the effectiveness of this product is reduced or nullified as a result of accelerated biodegradation, since biodegradation is accelerated by soil characteristics which occur naturally and are beyond AMERICAN VANGUARD AUSTRALIA'S control.

INSECTICIDE RESISTANCE WARNING



For insecticide resistance management Nemacur 400 Nematicide Liquid is a Group 1B insecticide. Some naturally occurring insect biotypes resistant to Nemacur 400 Nematicide Liquid and other Group 1B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Nemacur 400 Nematicide Liquid or other Group 1B insecticides are used repeatedly. The effectiveness of Nemacur 400 Nematicide Liquid on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, AMERICAN VANGUARD AUSTRALIA Pty Ltd accepts no liability for any losses that may result from the failure of Nemacur 400 Nematicide Liquid to control resistant insects. Nemacur 400 Nematicide Liquid may be subject to specific resistance management strategies. For further information contact your local suppliers, AMERICAN VANGUARD AUSTRALIA representative or local agricultural department agronomist.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish and other aquatic invertebrates. DO NOT contaminate streams, rivers or waterways with the chemical or used containers

STORAGE AND DISPOSAL

Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers. Store in the closed, original container in a dry, cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple-rinse containers before disposal. Add rinsings to dip tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. DO NOT burn empty containers or product.

DIP DISPOSAL

DO NOT dispose of spent dip on site. Spent dip waste must be transported to a facility that can lawfully receive it.

SAFETY DIRECTIONS

Poisonous if absorbed by skin contact or inhaled or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Will damage eyes and skin. Will irritate the nose and throat. Avoid contact with eyes and skin. DO NOT inhale vapour. When preparing dip and using the prepared dip wear cotton overalls buttoned to the neck and wrist and a washable hat, protective waterproof clothing or a PVC apron, elbow-length chemical resistant gloves and impervious footwear and face shield or goggles. If clothing becomes contaminated with product or wet with spray remove clothing immediately. If product in eyes, wash it out immediately with water. If product on skin, immediately wash area with soap and water. After use and before eating drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and goggles and contaminated clothing.

FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre. Phone Australia 131 126 or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

SAFETY DATA SHEET

For additional information on this product, refer to the Safety Data Sheet (SDS) which is available from the supplier.

NOTICE

This product is designed only for the particular purposes indicated on the label. Failure to use the product strictly as directed may be illegal, prove dangerous and render the product ineffective. The buyer or user is responsible for any misuse or negligence in the handling, storage, use of or disposal of this material. AMERICAN VANGUARD AUSTRALIA will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply and use of this product other than those responsibilities mandatorily imposed by Statutes applicable to the sale and supply of these goods.

© 2020 AMVAC Chemical Corporation is a wholly owned subsidiary of American Vanguard Corporation. All rights reserved. AMVAC, the AMVAC logo, AMERICAN VANGUARD and Nemacur are trademarks owned by an AMVAC company.

In an Emergency Dial 000 Police or Fire Brigade

GHS STATEMENTS

Additional information required under the Globally Harmonised System (GHS) classification of the substance/mixture: **Combustible liquid. Fatal if swallowed. May be fatal if swallowed and enters airways. Fatal if inhaled. Causes serious eye irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.**

Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison centre/doctor. IF exposed or concerned: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. Collect spillage.

Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.