



# Liquid

NPK solution (10 - 4 - 6 - 0) with trace elements for foliar fertilisation.

### ACTIVE CONSTITUENTS

% w/v			g/L
9.9	N	total NITROGEN	99
4.3	P	total PHOSPHORUS (present as orthophosphate)	43
6.2	K	total POTASSIUM	62

### TRACE ELEMENTS

% w/v			mg/L
0.012	B	Boron water-soluble	120
0.001	Mo	Molybdenum water-soluble	10
As EDTA complex:			
0.008	Cu	Copper water-soluble	80
0.018	Fe	Iron water-soluble	180
0.016	Mn	Manganese water-soluble	160
0.006	Zn	Zinc water-soluble	60
0.07		Maximum level of biuret	700

This product contains:	% w/w
Water	54
Total solids	46

© = Registered Trademark

Producer: AGLUKON Spezialdünger GmbH & Co. KG  
Heerdtter Landstr. 199 · Düsseldorf · Germany

# 24.8 kg | 20 L

Lot. no.: Please see imprint



## Performance Nutrition



Liquid



Foliar Fertilisation

A liquid fertiliser especially suitable for leaf and soil feeding of a wide range of crops including fruit, vegetables, field crops, nurseries, parks and gardens and anywhere that improved plant growth or quality is an advantage.

Distributed by:  
**AgNova Technologies Pty Ltd**  
ABN 70 097 705 158  
Unit 4, 482 Kingsford Smith Drive  
Hamilton, Qld 4007 Australia  
Phone (03) 9899 8100  
Email [info@agnova.com.au](mailto:info@agnova.com.au)

11181701

[agnova.com.au](http://agnova.com.au)



An American Vanguard Company

## DIRECTIONS FOR USE

CROP	RATE		CRITICAL COMMENTS
	/HA	/100 L	
Cereals	5–10 L		Apply with post-emergence herbicide sprays as a source of trace elements and to improve growth.
Citrus	2–4 L	100–200 mL	Apply shortly before blossom, at petal fall and again one or more times at 4-weekly intervals.
Field Crops: cotton, hops, linseed, peanuts, peas, potatoes, safflower, soybeans, sunflower etc.	2–3 L		Apply in combination with normal pesticide sprays beginning before flowering. Suitable for aerial as well as ground applications.
Fruit, especially berry crops, strawberries	2–4 L	100–200 mL	Apply one spray before blossom, then a further 2 to 4 sprays in combination with normal pesticide applications.
Fruit trees such as pome fruit, tropical fruit	2.5–5 L	100–200 mL	Apply one spray before blossom, then a further 2 to 4 sprays in combination with normal pesticide applications.
Grapevines	2–4 L	200–400 mL	Apply at least once before flowering, then several times at regular intervals with post-flowering pesticide sprays.
Ornamentals		125–250 mL	Apply weekly to roots and foliage.
Tobacco	1–2 L	100–200 mL	Apply when growth has stopped, in combination with normal insecticide or fungicide sprays.
Tree nurseries		soil drench: 100–300 mL or foliar spray: 50–200 mL	Apply at weekly intervals, either to the soil or as a foliar spray.
Turf		50 mL/25 L spray/100 m <sup>2</sup>	Apply weekly.
Vegetables	4–6 L	400–600 mL	Use 3 to 5 applications in combination with normal insecticide or fungicide sprays.

### GENERAL INSTRUCTIONS

Wuxal Liquid can be applied using a wide range of spray equipment.

### MIXING

Wuxal Liquid can be added to the partly filled spray tank, with agitators running, by washing through a strainer or sieve. Otherwise, dissolve the required quantity of product in water before adding to the spray tank. Apply sprays immediately after preparation.

### APPLICATION

Optimal results from foliar application will be achieved by high volume application made under slow drying conditions, e.g. early morning, late afternoon, dull or humid days.

### NOTE

Wuxal Liquid should be used as a complement to, not a replacement for, conventional fertiliser applications and normal cultivation practices.

### COMPATIBILITY

Wuxal Liquid is compatible with *Bacillus thuringiensis* (wetable powder formulations), gibberellic acid (GA3), copper oxychloride, (providing the mixture is used immediately after preparation and the agitator is kept running), abamectin and most commonly used insecticides, fungicides and herbicides. It is NOT compatible with lime sulphur or Bordeaux mixtures.

THIS PRODUCT IS NOT CLASSIFIED AS A DANGEROUS GOOD UNDER THE AUSTRALIAN CODE FOR THE TRANSPORT OF DANGEROUS GOODS BY ROAD AND RAIL

In a transport emergency dial 000, Police or Fire Brigade.  
For specialist advice in an emergency only, call 1800 033 111 (24 hours)

### CAUTION

Store Wuxal Liquid between +5°C and +40°C and avoid extreme fluctuations in temperature.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

### CONDITIONS OF SALE

AgNova Technologies Pty Ltd shall not be liable for any consequential or other loss or damage relating to the supply or subsequent handling or use of this product, unless such liability by law cannot be lawfully excluded or limited. All warranties, conditions or rights implied by statute or other law which may be lawfully excluded are so excluded. Where the liability of AgNova Technologies Pty Ltd for breach of any such statutory warranties and conditions cannot be lawfully excluded but may be limited to it re-supplying the product or an equivalent product or the cost of a product or an equivalent product, then the liability of AgNova Technologies Pty Ltd for any breach of such statutory warranty or condition is so limited.



my **WUXAL**<sup>®</sup>

With myWUXAL you get all the information you need to get the most out of your crops, at home, in the field, online or offline.



4 022655 817013

11181701