Issue date: 18-October-2022 Revision date: 18-October-2022

Version number: 1.0



SAFETY DATA SHEET

An American Vanguard Compan

1. Identification

Product identifier **Depleted Terbufos**

Other means of identification

SDS No.

Recommended use of the chemical and restrictions on use

Recommended use Unusable depleted product in a returnable container for return to AqNova Technologies Pty Ltd.

No other uses are advised. Restrictions on use

Keep out of the Reach of Children!

Details of manufacturer or importer

Manufacturer

Company name AgNova Technologies Pty Ltd Unit 4, 482 Kingsford Smith Drive **Address** Hamilton, Queensland 4007

Australia

AqNova Technologies Pty 03 9899 8100 (office hours) **Telephone**

I td

Website agnova.com.au E-mail info@agnova.com.au

Emergency phone number **IXOM ERS** 1800 033 111 (24 hours)

Poisons Information Centre 13 11 26

2. Hazard(s) identification

Classification of the hazardous chemical

Not classified. Physical hazards

Health hazards Acute toxicity, oral Category 2

> Acute toxicity, dermal Category 2 Acute toxicity, inhalation Category 1 Serious eye damage/eye irritation Category 2 Carcinogenicity Category 1A Specific target organ toxicity following Category 2

repeated exposure

Hazardous to the aquatic environment, acute Category 1

Hazardous to the aquatic environment, Category 1

long-term hazard

Label elements, including precautionary statements

Hazard symbol(s)

Environmental hazards



Skull and crossbones

Health hazard Environment

Signal word Danger

Hazard statement(s) Fatal if swallowed.

Fatal in contact with skin.

Fatal if inhaled. Causes eye irritation.

May cause cancer by inhalation.

May cause damage to organs through prolonged or repeated exposure by inhalation.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

Material name: Depleted Terbufos

Precautionary statement(s)

Prevention Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Wear respiratory protection.

Do not breathe dust.

Do not get in eyes, on skin, or on clothing.

Do not eat, drink or smoke when using this product.

Avoid release to the environment. Wash thoroughly after handling.

IF SWALLOWED: Immediately call a POISON CENTRE/doctor. Rinse mouth. Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTRE/doctor.

IF ON SKIN: Wash with plenty of water. Immediately call a POISON CENTRE/doctor.

Take off immediately all contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention.

Collect spillage.

Store locked up. Storage

Disposal Refer to manufacturer or supplier for information on recovery or recycling.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

None known.

Supplemental information

These containers contain small amounts of granules and are being returned to the manufacturer for removal of the granules under specific safety processes. Due to the presence of the granules, all safety information on this SDS is applicable. The containers will be reused by AgNova

Technologies Pty Ltd.

3. Composition/information on ingredients

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Terbufos	13071-79-9	150 g/kg
S-(((1,1-Dimethylethyl)thio)methyl) O,O-diethyl phosphorodithioate		
Crystalline silica	14808-60-7	< 7%

4. First aid measures

Description of necessary first aid measures

Inhalation Call a physician or Poisons Information Centre immediately. Remove victim to fresh air and keep

at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Be sure the contact areas are clean to prevent contamination of the rescuer.

Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing Skin contact

and shoes. Call a physician or Poisons Information Centre immediately. Wash contaminated

clothing before reuse.

Call a physician or Poisons Information Centre immediately. Do not rub eyes. Immediately flush Eye contact

eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If there will be a delay in getting medical attention, rinse the eyes an

additional 15 minutes.

Call a physician or Poisons Information Centre immediately. Do not induce vomiting without advice Ingestion

from Poisons Information Centre. Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Never give anything by mouth to a victim who is unconscious or

is having convulsions.

Personal protection for first aid

responders

If exposed or concerned, call The Poisons Information Centre. The number is 13 11 26 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call. Take off immediately all contaminated clothing. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Material name: Depleted Terbufos SDS AUSTRALIA

Symptoms caused by exposure

This is a cholinesterase inhibiting organophosphorous pesticide.

Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision, tightness in chest, weakness, muscle twitching and confusion; in extreme cases unconsciousness, convulsions, severe respiratory depression and death may occur.

Repeated exposures to small doses of organophosphates may lower the cholinesterase to levels where the above symptoms of acute overexposure are observed.

Medical attention and special treatment

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

In the case of cholinergic symptomatology the specific antagonist is atropine sulfate. If a large amount of product has been ingested, and if there was no vomiting, gastric emptying can be done within 2 hours after ingestion. Precautions should be taken to prevent pulmonary aspiration. Activated carbon can be used. Administer atropine sulfate at a dose of 1 to 2 mg every 15 or 20 minutes until the reversal of the cholinergic symptoms, at which time the maintenance dose should be adapted to maintain a condition free of symptoms of intoxication and with no atropine signals. Atropine should not be administered in the absence of cholinergic symptoms, neither should it be administered by a lay person. Measures such as the correction of electrolyte disorders and of the acid-base balance should be adopted. Maintain the patient under cardiac monitoring and with respiratory support if necessary.

5. Firefighting measures

Extinguishing media

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed. This product may emit hazardous fumes of hydrogen chloride, carbon oxides and unidentified organic compounds when it is heated excessively or burned.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Firefighting equipment/instructions

Use water spray to cool unopened containers. Clean all clothing before reuse. Severely contaminated clothing cannot be adequately decontaminated, and must be disposed as a hazardous waste. Shower with soap and water after contact with this product.

Hazchem code 2X

General fire hazards No unusual fire or explosion hazards noted.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Evacuate the area promptly. Keep upwind. Do not breathe dust. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Do not breathe dust. Local authorities should be advised if significant spillages cannot be contained.

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

Methods and materials for containment and cleaning up

Wear appropriate protective equipment and clothing during clean-up. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas.

Shovel the material into waste container. Decontaminate the area and equipment with dilute alkali or ammonia (less than 5%) and detergent. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for reuse. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Precautions for safe handling

Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Avoid release to the environment.

Material name: Depleted Terbufos SDS AUSTRALIA

Conditions for safe storage. including any incompatibilities Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from

incompatible materials (see Section 10 of the SDS).

8. Exposure controls and personal protection

Follow standard monitoring procedures. **Control parameters**

Occupational exposure limits

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Value Form Components Type Crystalline silica (CAS TWA 0.05 ma/m3 Respirable dust. 14808-60-7)

US. ACGIH Threshold Limit Values Components Value Form **Type** Crystalline silica (CAS TWA 0.025 ma/m3 Respirable fraction. 14808-60-7) Terbufos (CAS 13071-79-9) TWA 0.01 mg/m3 Inhalable fraction and vapour. **UK. EH40 Workplace Exposure Limits (WELs) Form** Components Type Value TWA Crystalline silica (CAS 0.1 mg/m3 Respirable.

Biological limit values No biological exposure limits noted for the ingredient(s).

Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica **Exposure guidelines**

should be monitored and controlled.

US ACGIH Threshold Limit Values: Skin designation

Terbufos (CAS 13071-79-9) Danger of cutaneous absorption

Appropriate engineering

14808-60-7)

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions, If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL (occupational exposure limit), suitable respiratory protection must be worn. Provide eyewash station.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection Wear safety glasses with side shields (or goggles). Use tight fitting goggles if dust is generated.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Nitrile gloves are recommended.

Wear suitable protective clothing. Long-sleeved shirt and long pants or coveralls, socks and Other

closed toe shoes are recommended. The label should be consulted for more detailed instructions

on appropriate PPE.

Wear respirator with dust filter. The label should be consulted for more specific information with Respiratory protection

regards to respiratatory protection.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Hygiene measures Observe any medical surveillance requirements. Keep away from food and drink. Always observe

good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

contaminants.

9. Physical and chemical properties

Appearance

Solid. Physical state **Form** Granular. Colour Gray to brown.

Mild mercaptan-like odour. Odour

Not available. Odour threshold Not available. Not available. Melting point/freezing point Not available. Initial boiling point and boiling

range

1801

Material name: Depleted Terbufos SDS AUSTRALIA Flash point Not available. Not available. **Evaporation rate** Not flammable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper Not available.

(%)

34.6 mPa (Terbufos). Vapour pressure Heavier than air. Vapour density Not available. Relative density

Solubility(ies)

4.5 mg/l (Terbufos). Solubility (water)

Solubility (solvents) Terbufos is readily soluble in most organic solvents.

Partition coefficient

(n-octanol/water)

4.52 (Terbufos).

Auto-ignition temperature Not available.

Decomposition temperature > 120 °C (> 248 °F) (Terbufos).

Not available. **Viscosity**

Other physical and chemical parameters

0.72 - 0.8 g/cm³ **Bulk density** Not explosive. **Explosive properties** Oxidising properties Not oxidising.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Avoid high temperatures. Alkaline compounds. Strong acids. Strong oxidising agents. Incompatible materials

Hazardous decomposition

products

Possible thermal decomposition products included hydrogen sulfide, carbon dioxide, carbon monoxide, mercaptans, thiophosphates, dialkylsulfides, phosphorus oxides, and sulfur oxides.

Decomposition begins at 120°C.

11. Toxicological information

Information on possible routes of exposure

Inhalation Fatal if inhaled.

Fatal in contact with skin. Dust or powder may irritate the skin. Skin contact

Eye contact Causes eye irritation. Ingestion Fatal if swallowed.

Symptoms related to exposure This is a cholinesterase inhibiting organophosphorous pesticide.

> Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision,

tightness in chest, weakness, muscle twitching and confusion; in extreme cases, unconsciousness, convulsions, severe respiratory depression and death may occur.

Repeated exposures to small doses of organophosphates may lower the cholinesterase to levels

where the above symptoms of acute overexposure are observed.

Acute toxicity Fatal if inhaled. Fatal in contact with skin. Fatal if swallowed.

Material name: Depleted Terbufos SDS AUSTRALIA 1801

Product	Species	Te	est Results	
Depleted Terbufos				
<u>Acute</u>				
Dermal				
LD50	female ra	at 71	l mg/kg	
	male rat	12	23 mg/kg	
Inhalation				
Dust	£	-1	0.45	
LC50	female ra	٠.	015 mg/l	
	male rat	0.	017 mg/l	
Oral				
LD50	female ra		mg/kg	
	male rat	13	3 mg/kg	
Skin corrosion/irritation	Non irritating to slightly irritating to skin.			
Serious eye damage/irritation	Causes ey	e irritation.		
Respiratory or skin sensitisatio				
Respiratory sensitisation	Not a respiratory sensitiser.			
Skin sensitisation	This product is not expected to cause skin sensitisation.			
Germ cell mutagenicity	No evidence of mutagenicity has been observed in animal testing using Terbufos.			
Carcinogenicity	based on t respiration	Respirable crystalline silica is listed as being carcinogenic by IARC. It is present in the product, ased on the carrier. Due to a combination of factors, including the toxicity of the product by espiration and the methods used for applying the product, it is highly unlikely exposure to this roduct will lead to cancer.		
		lo carcinogenic effect was observed in long-term studies in rats and mice when Terbufos waiven in the feed.		
ACGIH Carcinogens				
Crystalline silica (CAS 14 Terbufos (CAS 13071-79	9-9)	A2 Suspected human ca A4 Not classifiable as a	•	
IARC Monographs. Overall				
Crystalline silica (CAS 14	,			
Reproductive toxicity	No evidence of reproductive toxicity has been observed in animal studies using Terbufos.			
Specific target organ toxicity - single exposure	Not classif	led.		
Specific target organ toxicity - repeated exposure	Due to the presence of respirable crystalline silica in the carrier for this product, there may be damage to the lungs through prolonged or repeated exposure by inhalation. However, because of the acute toxicity of the product through inhalation, it is unlikely damage to the lungs from repeated exposure to the crystalline silica will occur.			
Aspiration hazard	Not an aspiration hazard.			
Chronic effects	Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure.			
12. Ecological information	n			
Ecotoxicity	Very toxic to aquatic life with long lasting effects.			
Product		Species Test Results		
Depleted Terbufos				
Acute				
	EC50	Selenastrum capricornutum (new name Pseudokirchneriella subcapitata)	12.3 mg/l, 96 hours (test data from similar formulation)	

Material name: Depleted Terbufos SDS AUSTRALIA 6 / 10

Rainbow trout (Oncorhynchus mykiss)

Bobwhite quail

LD50

LC50

305 mg/kg

0.08 mg/l, 96 hours

Other

Aquatic Acute Fish

Components **Species Test Results** Terbufos (CAS 13071-79-9) Other LD50 Duck 62 ppm (Mallard) Aquatic Algae LC50 Algae 2.1 mg/l, 96 hours Crustacea EC50 Water flea (Daphnia magna) 0.31 ppb, 48 hours

Terbufos: Terbufos degradation occurs in both aerobic and anaerobic conditions. In aerobic Persistence and degradability

Rainbow trout (Oncorhynchus mykiss)

conditions in a sand-clay soil, the biological half-life was found to be 5 days with a remnant of only

0.01 mg/l, 96 hours

0.02 ppm after one year.

Terbufos: For the evaluation a radiolabeled extract of aged soil treated with the active ingredient Bioaccumulative potential

was placed in water under static conditions. The study results suggest that, in the event of residue of the soil containing the active ingredient being washed into the water of lakes through erosion. the total residue of the active ingredient related to the product expected to be found in the edible tissues of fish will be less than 0.02 ppm, and any fish mortality is likely to occur a few days after

contamination.

LC50

Mobility in soil Terbufos: Terbufos has a negligible mobility due to its strong adsorption by clays; it is relatively

immobile in soil under leaching and non-leaching conditions.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Fish

Depleted returnable containers should be returned to AgNova Technologies Pty Ltd per Disposal methods

> instructions provided, according to all applicable local, regional, national, and international regulations. To return, contact AgNova Technologies Pty Ltd directly using the information

provided in Section 1.

Residual waste Depleted returnable containers should be returned to AgNova Technologies Pty Ltd per

instructions provided, according to all applicable local, regional, national, and international regulations. To return, contact AgNova Technologies Pty Ltd directly using the information

provided in Section 1.

Contaminated packaging Depleted returnable containers should be returned to AgNova Technologies Pty Ltd per

instructions provided, according to all applicable local, regional, national, and international regulations. To return, contact AgNova Technologies Pty Ltd directly using the information

provided in Section 1.

14. Transport information

ADG

UN number 2783

UN proper shipping name

ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC (Terbufos) Transport hazard class(es)

Class 6.1 Subsidiary risk Ш Packing group **Environmental hazards** No Hazchem code 2X

Special precautions for user Not available.

RID

UN number

UN proper shipping name Transport hazard class(es) ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC (Terbufos)

Class 6.1 Subsidiary risk Label(s) 6.1 **Packing group** Ш **Environmental hazards** Yes

Special precautions for user Not available.

ΙΔΤΔ

UN number

UN proper shipping name Organophosphorus pesticide, solid, toxic (Terbufos)

Transport hazard class(es)

6.1 Subsidiary risk

Packing group Ш **Environmental hazards** No **ERG Code** 6L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

2783 **UN** number

UN proper shipping name Transport hazard class(es) ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC (Terbufos), MARINE POLLUTANT

Class 6.1 Subsidiary risk Packing group Ш

Environmental hazards

Marine pollutant Yes F-A, S-A **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Not available.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

ADG



IATA; IMDG; RID



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

The classification of this product is based on the fact that the product as manufactured and transported will not meet dust criteria for inhalation of dusts and therefore the Inhalation LC50 is not applicable.

15. Regulatory information

Safety, health and environmental regulations

National regulations

This Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the preparation of Safety Data Sheets for Hazardous Chemicals.

Australia Medicines & Poisons Appendix A

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix B

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix D

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix E

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix F

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix G

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix H

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix I

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix J

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix K

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 10

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 2

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 3

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 4

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 5

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 6

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 7

Terbufos (CAS 13071-79-9)

Australia Medicines & Poisons Schedule 8

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 9

Poisons schedule number not allocated.

High Volume Industrial Chemicals (HVIC)

Crystalline silica (CAS 14808-60-7)

100000 - $999999\ \mbox{TONNES}$ See the regulation for additional information.

Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

Not listed.

National Pollutant Inventory (NPI) substance reporting list

Not listed.

Prohibited Carcinogenic Substances

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Restricted Carcinogenic Substances

Not regulated.

Restricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed.

International regulations

Stockholm Convention

Not applicable.

Material name: Depleted Terbufos SDS AUSTRALIA

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region Inventory name On inventory (yes/no)*

Australia Australian Inventory of Industrial Chemicals (AICIS)

..,

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date18-October-2022Revision date18-October-2022

Disclaimer

This information is provided for the limited guidance to the user. While AgNova Technologies Pty Ltd believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

AgNova Technologies Pty Ltd cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

©2022 American Vanguard Corporation. All Rights Reserved. American Vanguard and the American Vanguard Logo are trademarks owned by American Vanguard Corporation.

ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists. CHEMTREC is a trademark of the American Chemistry Council, Inc.

Material name: Depleted Terbufos SDS AUSTRALIA