

Current version: 1.1.3. issued: 06.05.2022 Replaced version: 1.1.2. issued: 08.03.2022 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Trade name

Scomrid Aerosol

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Plant protection product for professional use. Agriculture.

Fungicide

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address of manufacturer:

Certis Europe B.V. (EU)

Stadsplateau 16

3521 AZ Utrecht - Netherlands

Telephone no. +31(0)30 200 1200 Fax no

+31 (0)30 310 0241 e-mail www.certiseurope.com

Advice on Safety Data Sheet

www.certiseurope.com

1.4

Emergency telephone number Carechem 24 EU: +44 1235 239670 Address of importer:

AgNova Technologies Pty Ltd Unit 4, 482 Kingsford Smith Drive Hamilton, Queensland 4007 Australia

03 9899 8100

info@agnova.com.au

agnova.com.au

IXOM ERS 1800 033 111 (24 hours) Poisons Information Centre 13 11 26

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aerosol 1; H222 Aquatic Chronic 2, H411 Carc. 2; H351

Eye Irrit. 2; H319

Classification information

Classification and labelling are based on toxicological studies performed on the product (mixture).

Classification and labelling with respect to water pollution risks are based on ecotoxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008: Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3. 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS02







Signal word

Danger

Hazardous component(s) to be indicated on label:

1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole Imazalil (ISO)

Hazard statement(s)

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H319 Causes serious eye irritation. Suspected of causing cancer. H351

H411 Toxic to aquatic life with long lasting effects.

Hazard statements (EU)

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.



Current version: 1.1.3, issued: 06.05.2022 Region: 1.1.2, issued: 08.03.2022 Region: GB

Precautionary statement(s)

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P405 Store locked up.

2.3 Other hazards

The mixture of n-butane, isobutane and propane (CAS 68476-86-8), must have a content of less than 0.1%. 1,3-butadiene (CAS 106-99-0) less than 0.1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Imazalil tech 20g/l (AE)

Hazardous ingredients

No	Substance name Additional information					
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)		ntration		%
	REACH no					,,
1	dimethoxymethane					
	109-87-5	Flam. Liq. 2; H225	>=	25.00 - <	50.00	wt%
	203-714-2					
	-					
	01-2119664781-31					
2	(2-METHOXYMETHYL	ETHOXY)PROPANOL				
	34590-94-8	-	>=	25.00 - <	50.00	wt%
	252-104-2					
	- 01-2119450011-60					
3	butane					
3	106-97-8	Flam. Gas 1A; H220	>=	5.00 - <	10.00	\A/t ⁰ / ₀
	203-448-7	Press. Gas lig.; H280	-	3.00 - 1	10.00	W L 70
	601-004-00-0	1 1000. 000 114., 11200				
	01-2119474691-32					
4	isobutane					
	75-28-5	Flam. Gas 1A; H220	>=	5.00 - <	10.00	wt%
	200-857-2	Press. Gas liq.; H280				
	601-004-00-0					
	01-2119485395-27					
5	propane					
	74-98-6	Flam. Gas 1A; H220	>=	5.00 - <	10.00	wt%
	200-827-9	Press. Gas liq.; H280				
	601-003-00-5 01-2119486944-21					
6		lichlorophenyl)ethyl]-1H-imidazole				
0	Imazalil (ISO)					
	35554-44-0	Acute Tox. 3; H301	<	2.50		wt%
	252-615-0	Acute Tox. 4; H332				
	613-042-00-5	Aquatic Chronic 1; H410				
	-	Carc. 2; H351				
L	<u> </u>	Eye Dam. 1; H318				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
3	C, U	-	-	-
4	C, U	-	-	-
5	U	-	-	-
6	-	-	-	M = 10



Current version: 1.1.3, issued: 06.05.2022 Region: 1.1.2, issued: 08.03.2022 Region: GB

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008. Annex VI)".

Acut	Acute toxicity estimate (ATE) values				
No	oral	dermal	inhalative		
6	227 mg/kg bodyweight				

3.3 Other information

The mixture of n-butane, isobutane and propane (CAS 68476-86-8), must have a content of less than 0.1%. 1,3-butadiene (CAS 106-99-0) less than 0.1%.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

If medical advice is needed, have product container or label at hand.

After inhalation

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

After skin contact

Take off contaminated clothing. Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace.

After eve contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse AWAY from the unaffected eye. If eye irritation persists: Get medical advice/attention.

After ingestion

Rinse mouth. Call a POISON CENTER or doctor/physician.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam; Carbon dioxide; Extinguishing powder; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

5.3 Advice for firefighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

Information regarding waste disposal, see section 13. Information regarding personal protective measures, see section 8. Information regarding safe handling, see section 7.

SECTION 7: Handling and storage



Current version: 1.1.3, issued: 06.05.2022 Region: 1.1.2, issued: 08.03.2022 Region: GB

7.1 Precautions for safe handling

Advice on safe handling

No special measures necessary if stored and handled as prescribed. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Do not eat, drink or smoke during work time. Remove soiled or soaked clothing immediately. Do not inhale vapours.

Advice on protection against fire and explosion

Isolate from sources of heat, sparks and open flame. Take precautionary measures against static charges.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Keep from freezing. Protect from heat and direct sunlight.

Recommended storage temperature

Value < 50 °C

Storage stability

/alue 24 months

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

Incompatible products

Do not store together with foodstuffs.

7.3 Specific end use(s)

Industry solution

Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	dimethoxymethane	109-87-5		203-714-2	
	List of approved workplace exposure limits (WELs) / EH40				
	Dimethoxymethane				
	WEL short-term (15 min reference period)	3950	mg/m³	1250	ppm
	WEL long-term (8-hr TWA reference period)	3160	mg/m³	1000	ppm
2	(2-METHOXYMETHYLETHOXY)PROPANOL	34590-94-8		252-104-2	
	2000/39/EC				
	(2-Methoxymethylethoxy)-propanol				
	WEL long-term (8-hr TWA reference period)	308	mg/m³	50	ppm
	Skin resorption / sensibilisation	Skin			
	List of approved workplace exposure limits (WELs) / EH40				
	(2-Methoxymethylethoxy) propanol				
	WEL long-term (8-hr TWA reference period)	308	mg/m³	50	ppm
	Comments	Sk			
3	butane	106-97-8		203-448-7	
	List of approved workplace exposure limits (WELs) / EH40				
	Butane				
	WEL short-term (15 min reference period)	1810	mg/m³	750	ppm
	WEL long-term (8-hr TWA reference period)	1450	mg/m³	600	ppm
	Comments	Carc, (only a 1,3-diene)	applies if Butane	e contains more	than 0.1% of buta-

DNEL, DMEL and PNEC values

DNEL values (worker)

	DIALE values (MOLKEL)				
No	No Substance name			CAS / EC no	
	Route of exposure			Value	
1	1 dimethoxymethane			109-87-5	
	-			203-714-2	
	dermal	Long term (chronic)	systemic	17.9	mg/kg/day
	inhalative	Long term (chronic)	systemic	126.6	mg/m³

DNEL value (consumer)

No	Substance name	CAS / EC no
----	----------------	-------------



Current version: 1.1.3, issued: 06.05.2022 Reglaced version: 1.1.2, issued: 08.03.2022 Region: GB

	Route of exposure	Exposure time	Effect	Value	
1	1 dimethoxymethane		109-87-5		
	-			203-714-2	
	oral	Long term (chronic)	systemic	18.1	mg/kg/day
	dermal	Long term (chronic)	systemic	18.1	mg/kg/day
	inhalative	Long term (chronic)	systemic	31.5	mg/m³

PNEC values

No	Substance name			
	ecological compartment	Туре	Value	
1	dimethoxymethane		109-87-5	
			203-714-2	
	water	fresh water	14.577	mg/L
	water	marine water	1.477	mg/L
	water	fresh water sediment	13.135	mg/kg dry weight
	water	marine water sediment	1.313	mg/kg dry weight
	soil	-	4.654	mg/kg dry weight
	sewage treatment plant	-	10	g/L

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses (EN 166)

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. Appropriate Material

Other

No data available

Chemical-resistant work clothes. Rubber boots. (EN 13832-3/EN ISO 20345)

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation			
liquid			
Form/Colour			
liquid; viscous			
dark green			
Odour			
like propanol			
pH value			
Value		7.9	
Concentration		1	% aqueous solution
Boiling point / boiling range			
No data available			
Melting point/freezing point			
No data available			
Decomposition temperature			
No data available			
Flash point			
Reference substance	CAS 109-87-5		
Comments	Highly flammable		
Ignition temperature			



Current version: 1.1.3, issued: 06.05.2022 Reglaced version: 1.1.2, issued: 08.03.2022 Region: GB

Oxidising properties	
not oxidizing	
Ford a los and a settle a	

Explosive properties not explosive

Flammability
No data available

Lower explosion limit

No data available

Upper explosion limit
No data available

Vapour pressure

No data available

Relative vapour density
No data available

Relative density

No data available

Density	
Value	0.812 kg/l
Reference temperature	20 °C
Source	Manufacturer

Solubility No data available

Parti	Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.	
1	butane		106-97-8		203-448-7	
log P	ow			1.09		
Refe	rence temperature			20	°C	
with r	reference to	pH 7				
Sour	ce	ECHA				
2	isobutane		75-28-5		200-857-2	
log P	OW			2.80		
Refe	rence temperature			20	°C	
	reference to	pH 7				
Sour	ce	ECHA				
3	propane		74-98-6		200-827-9	
log P		appr.		1.8		
Meth	od	QSAR				
Sour		ECHA				
4	1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H- Imazalil (ISO)	-imidazole	35554-44-0		252-615-0	
log P	ow			3.82		
with r	reference to	pH: 9,2				
Sour	ce	Manufacturer				

Kinematic viscosity No data available

Particle characteristics No data available

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is stable under normal storage and handling conditions.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid



Current version: 1.1.3, issued: 06.05.2022 Replaced version: 1.1.2, issued: 08.03.2022 Region: GB

None, if handled according to intended use.

10.5 Incompatible materials

None known.

Species

Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity				
No	Product Name				
1	Scomrid Aerosol				
LD50	0	>	2000	mg/kg	
Spec	cies	rat			
Sour	ce	Manufacturer			
Acute dermal toxicity					
No	Product Name				
1	Scomrid Aerosol				

Acute dermai toxicity				
2000	mg/kg			
	-			
Acute inhalational toxicity				
	2000			

Acut	Acute inhalational toxicity				
No	Product Name				
1	Scomrid Aerosol				
LC50	0	>	5.12	mg/m³	
Dura	ation of exposure		4	h	
State	e of aggregation	Dust/mist			
Spec	cies	rat			
Sour	ce	Manufacturer			
No	Substance name	CAS n	10.	EC no.	
2	isobutane	75-28-	5	200-857-2	
LC50	0		520400	ppmV	
Dura	ation of exposure		2	h	
State	e of aggregation	Gas			
Spec	cies	mouse			
Sour	-ce	ECHA			
Eval	uation/classification	Based on available dat	ta, the classification crite	ria are not met.	
3	propane	74-98-	6	200-827-9	
LC50	0	>	800000	ppmV	
Dura	ation of exposure		0.25	h	
State	e of aggregation	Gas			
		1 .			

Sour	Source ECHA			
Evalu	Evaluation/classification Based on available data, the classification criteria are not met.			sification criteria are not met.
Skin	Skin corrosion/irritation			
No	Substance name		CAS no.	EC no.
1	dimethoxymethane		109-87-5	203-714-2
Spec	ties	rabbit		
Meth	od	OECD 404		
Sour	ce	ECHA		
Evalu	uation	low-irritant		
Evalu	uation/classification	On the basis of	of the available infor	mation, the classification criteria are not met.
2	1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H- Imazalil (ISO)	-imidazole	35554-44-0	252-615-0
Sour	ce	Manufacturer	•	
Evalu	uation	non-irritant		

rat

Serio	Serious eye damage/irritation			
No	lo Product Name			
1	Scomrid Aerosol			
Sour	ce	Manufacturer		
Evalu	uation	irritant		

Resp	Respiratory or skin sensitisation				
No	Substance name	CAS no.	EC no.		
1	dimethoxymethane	109-87-5	203-714-2		
Rout	e of exposure	Skin			



Current version: 1.1.3, issued: 06.05.2022 Replaced version: 1.1.2, issued: 08.03.2022 Region: GB

Species	guinea pig
Method	ŎECD 406
Source	ECHA
Evaluation	non-sensitizing
Evaluation/classification	On the basis of the available information, the classification criteria are not met.
2 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1h Imazalil (ISO)	1-imidazole 35554-44-0 252-615-0
Route of exposure	
Route of exposure	Skin
Method	Skin Buehler
Method	Buehler

⊏vai	valuation non-sensitizing			
Gerr	n cell mutagenicity			
No	Substance name	CAS no.	EC no.	
1	dimethoxymethane	109-87-5	203-714-2	
Туре	of examination	Mammalian chromosome aberration test	t	
Spec	cies	Chinese hamster Ovary (CHO)		
Meth	nod	OECD 473		
Sour	rce	ECHA		
Eval	uation/classification	On the basis of the available information	, the classification criteria are not met.	
2	butane	106-97-8	203-448-7	
Туре	of examination	In vitro Mammalian Chromosomal Aberra	ation Test	
Spec		Human Lymphocyte		
Meth	nod	OECD 473		
Sour	= =	ECHA		
Eval	uation/classification	Based on available data, the classification criteria are not met.		
Type of examination in vitro gene mutation study in bacteria				
Spec		Salmonella typhimurium		
Meth		OECD 471		
Sour		ECHA		
Eval	uation/classification	Based on available data, the classification		
3	isobutane	75-28-5	200-857-2	
, , ,	of examination	in vitro gene mutation study in bacteria		
Spec		Salmonella typh. TA98, TA100, TA1535,	TA1537, TA1538	
Meth		Value taken from the literature		
Sour		ECHA		
Eval	uation/classification	Based on available data, the classification	on criteria are not met.	
4	1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1l Imazalil (ISO)	1-imidazole 35554-44-0	252-615-0	
Type of examination Reverse Muta		Reverse Mutation Assay		
Spec	cies	Salmonella typhimurium		
Sour	rce	Manufacturer		
Eval	uation/classification	Based on available data, the classification	on criteria are not met.	

Reproduction toxicity			
No Substance name	CAS no.	EC no.	
1 butane	106-97-8	203-448-7	
Route of exposure	inhalational		
Species	rat		
Method	OECD 422		
Source	ECHA		
Evaluation/classification	Based on available data, the classification crite	eria are not met.	
2 isobutane	75-28-5	200-857-2	
Route of exposure	inhalational		
NOAEC	9000	ppm	
Type of examination	Combined Repeated Dose Toxicity Study with the		
	Reproduction/Developmental Toxicity Screenii	ng Test	
Species	rat		
Method	OECD 422		
Source	ECHA		
Evaluation/classification	Based on available data, the classification crit		
3 propane	74-98-6	200-827-9	
Route of exposure	inhalational		
NOAEC	12000	ppm	
Type of examination	Combined Repeated Dose Toxicity Study with	the	
	Reproduction/Developmental Toxicity Screening Test		
Species	rat		
Method	OECD 422		
Source	ECHA		
Evaluation/classification	Based on available data, the classification crite	eria are not met.	



Current version: 1.1.3, issued: 06.05.2022 Replaced version: 1.1.2, issued: 08.03.2022 Region: GB

Carc	Carcinogenicity		
No	Product Name		
1	Scomrid Aerosol		
Sour	De Company	Manufacturer	
Evalu	ation	Suspected of causing cancer.	

STOT - single exposure No data available

STOT	STOT - repeated exposure				
No	Substance name	C	AS no.		EC no.
1	dimethoxymethane	1	09-87-5		203-714-2
Route	of exposure	inhalational			
NOEL		appr.	2	000	ppm
Durat	ion of exposure		9	0	day(s)
Speci		rat			
Metho	=	OECD 413			
Source		ECHA			
Evalu	ation/classification	On the basis of the	ne available inform	ation, the cl	assification criteria are not met.
2	butane	1	06-97-8		203-448-7
Route	e of exposure	inhalational			
Speci		rat			
Metho		OECD 422			
Source	e	ECHA			
Evalu	ation/classification	Based on availab	le data, the classif	ication crite	ria are not met.
3	isobutane	7	5-28-5		200-857-2
Route	e of exposure	inhalational			
			9	000	ppm
Speci	es	rat			
Metho	od	OECD 422			
Source	e	ECHA			
Evalu	ation/classification	Based on availab	le data, the classif	ication crite	ria are not met.
4	propane	7	4-98-6		200-827-9
Route	e of exposure	inhalational			
LOAE	C		1	2000	ppm
Speci	es	rat			
Metho	od	OECD 422			
Source	e	ECHA			
Evalu	ation/classification	Based on availab	le data, the classif	ication crite	ria are not met.

Aspiration hazard No data available

Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

	-				
Toxic	Toxicity to fish (acute)				
No	Product Name				
1	Scomrid Aerosol				
LC50			84.9	mg/l	
Durat	tion of exposure		96	h	
Species		Oncorhynchus mykiss			
		Manufacturer			

Toxicity to fish (chronic) No data available

Toxicity to Daphnia (acute)			
Product Name			
Scomrid Aerosol			
)		35.98	mg/l
tion of exposure		48	h
ies	Daphnia magna		
ce	Manufacturer		
	Product Name Scomrid Aerosol ition of exposure ies	Product Name Scomrid Aerosol ition of exposure ies Daphnia magna	Product Name Scomrid Aerosol 1 35.98 tion of exposure 48 ies Daphnia magna

Toxicity to Daphnia (chronic)



Current version: 1.1.3, issued: 06.05.2022 Replaced version: 1.1.2, issued: 08.03.2022 Region: GB

No da	No data available			
Toxio	city to algae (acute)			
No	Product Name			
1	Scomrid Aerosol			
ErC5	0		51.2	mg/l
Duration of exposure			72	h
Species		Selenastrum capricornutum		
Sour	ce	Manufacturer		
Toxic	Toxicity to algae (chronic)			
No da	ata available			

Bacteria toxicity
No data available

12.2 Persistence and degradability

Substance name	CAS no.		EC no.	
dimethoxymethane	109-87-5		203-714-2	
ce	ECHA			
uation	not readily biodegradable			
butane	106-97-8		203-448-7	
	aerobic biodegradation			
e		50	%	
ition		3.46	d	
nod	QSAR			
ce	ECHA			
isobutane	75-28-5		200-857-2	
	aerobic biodegradation			
e		50	%	
ition		3.1	d	
nod	QSAR			
ce	ECHA			
uation	readily biodegradable			
propane	74-98-6		200-827-9	
	aerobic biodegradation			
e		50	%	
ition		3	d	
nod	QSAR			
ce	ECHA			
uation	readily biodegradable			
	ce uation butane e e tition lood ce isobutane e e tition lood ce uation propane e e tition lood ce uation propane e e tition lood ce uation	Substance name	Substance name	Substance name

12.3 Bioaccumulative potential

2 <u>.3</u> E	3 Bioaccumulative potential				
Bioc	oncentration factor (BCF)				
No	Substance name	CAS no.		EC no.	
1	dimethoxymethane	109-87-5		203-714-2	
BCF			0.6		
Meth	od	Calculation model used (Q)SAR			
Sour	ce	ECHA			
2	1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H- Imazalil (ISO)	-imidazole 35554-44-0		252-615-0	
BCF		48.7 -	63.8		
Sour	ce	Manufacturer			

		l .			
Parti	Partition coefficient n-octanol/water (log value)				
No	Substance name		CAS no.		EC no.
1	butane		106-97-8		203-448-7
log P	low			1.09	
Refe	rence temperature			20	°C
with	reference to	pH 7			
Sour	ce	ECHA			
2	isobutane		75-28-5		200-857-2
log P	low			2.80	
Refe	rence temperature			20	°C
with	reference to	pH 7			
Sour	ce	ECHA			
3	propane		74-98-6		200-827-9
log P	low	appr.		1.8	
Meth	od	QSAR			
Sour	ce	ECHA			



Current version: 1.1.3, issued: 06.05.2022 Replaced version: 1.1.2, issued: 08.03.2022 Region: GB

4	1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-	imidazole	35554-44-0	252-615-0
	Imazalil (ISO)			
log P	low			3.82
with r	reference to	pH: 9,2		
Sour	ce	Manufacturer		

12.4 Mobility in soil

Mobi	ility in soil					
No	Substance name		CAS no.		EC no.	
1	1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H	-imidazole	35554-44-0		252-615-0	
	Imazalil (ISO)					
log K	loc loc	3.318		3.911		
with I	reference to	soil				
Sour	ce	Manufacturer				

Results of PBT and vPvB assessment 12.5

No data available.

12.6 **Endocrine disrupting properties**

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information	
Do not discharge product unmonitored into the environment.	

SECTION 13: Disposal considerations

Waste treatment methods

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

Transport ADR/RID/ADN

Class Classification code 5F UN number UN1950 Proper shipping name **AEROSOLS** Tunnel restriction code

Label 2 1

Environmentally hazardous Symbol "fish and tree" substance mark

14.2 **Transport IMDG**

Class

UN number UN1950 Proper shipping name **AEROSOLS**

Technical name 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole

Imazalil (ISO)

EmS F-D, S-U Label

Marine pollutant mark Symbol "fish and tree"

14.3 Transport ICAO-TI / IATA

Class 2.1 **UN** number UN1950

Proper shipping name Aerosols, flammable

Label

Other information 14.4

No data available.

Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

Special precautions for user



Current version: 1.1.3. issued: 06.05.2022 Replaced version: 1.1.2. issued: 08.03.2022 Region: GB

No data available.

14.7 Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture **EU** regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Reg	gulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET					
AND	AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES					
The	The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3					
The	The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.					
No	Substance name	CAS no.	EC no.	No		
1	1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole	35554-44-0	252-61	5-0 75		
	Imazalil (ISO)					

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances	
This product is subject to Part I of Annex I, risk category:	E2, P3a
If the properties of the substance/product give rise to more than one classification, for the purposes of 2	012/18/UE, the lowest
qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.	

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

Regulation	Regulation (EC) No 1107/2009 concerning the placing of plant protection products on the market				
Regulation	Regulation (EU) No 547/2011 implementing Regulation (EC) No 1107/2009 as regards labelling requirements for plant protection				
products	products				
Annex III	Annex III				
SP1	Do not contaminate water with the product or its container (Do not clean application equipment near surface				
	water/Avoid contamination via drains from farmyards and roads).				

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H301 Toxic if swallowed.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

Very toxic to aquatic life with long lasting effects. H410

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

Some organic substances may be marketed either in a specific isomeric form or as a mixture of

several isomers. In this case the supplier must state on the label whether the substance is a specific

isomer or a mixture of isomers.

U When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the

physical state in which the gas is packaged and therefore has to be assigned case by case.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg



Current version: 1.1.3, issued: 06.05.2022 Replaced version: 1.1.2, issued: 08.03.2022 Region: GB

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 778678