
POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENT: 30 g/kg METALDEHYDE

For control of slugs and snails in agricultural crops.



Distributed by: **AgNova Technologies Pty Ltd** ABN 70 097 705 158 Suite 3, 935 Station Street Box Hill North, Vic. 3129 Australia Phone (03) 9899 8100 agnova.com.au



Net Contents 400 kg

DIRECTIONS FOR USE

Restraints

DO NOT apply to windrowed crops.

DO NOT apply to edible plant parts or to crops where baits may be collected with harvested commodities.

DO NOT heap baits. Clean up spilled baits immediately, including after filling applicator.

Crop/Situation	Pest	Rate	Critical Comments
Agricultural crops Cereals, oilseeds, pulses	Slugs and snails	3 - 5 kg/ha	Broadcast evenly over the surface of the ground where slugs and snails are active, or incorporate with seed when direct drilling. Use low rate only when pest density is low. Use higher rates for moderate to high density infestations. Re-apply as required.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIODS

HARVEST AGRICULTURAL CROPS: DO NOT APPLY LATER THAN 8 WEEKS BEFORE HARVEST. <u>GRAZING</u> DO NOT ALLOW STOCK OR POULTRY TO GRAZE TREATED CROPS.

GENERAL INSTRUCTIONS

SLIMAX[®] kills slugs and snails by irreversibly destroying the mucus producing cells that are essential for movement. Where the pest pressure is heavy it may be necessary to repeat the application. Best results are achieved by application during mild damp weather when slugs and snails are most active but when rain is not imminent. Snails need to be active to come into contact with the bait.

Scatter baits evenly using an appropriate applicator. DO NOT place in heaps. Clean up any spilled baits, including after filling applicator.

TIMING: Apply baits when crops are most vulnerable and when the pest is evident and active. For broadacre crops, start when rain / moisture triggers slug and snail activity in autumn and before significant egg laying.

Best results may be achieved by applying 5-10 days prior to planting. See your distributor for further advice.

PRECAUTIONS

Do not use human flaggers/markers unless they are protected by engineering controls such as enclosed cabs.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

PROTECTION OF DOMESTIC ANIMALS AND LIVESTOCK

Keep away from animals, poultry, ducks and domestic pets as accidental poisoning may be fatal. If pets or livestock are poisoned contact a veterinary surgeon.

STORAGE AND DISPOSAL

Store in the closed original container in a dry, cool, well ventilated area, out of direct sunlight. Store in a locked room or place out of the reach of children, animals, food, feedstuff, seed and fertilisers. Shake container empty into application equipment. DO NOT dispose of unused product on site. If not recycling, break, crush or puncture containers and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

Harmful if swallowed. Harmful if inhaled. Do not inhale dust. Wash hands after use. When opening the container, preparing product for use (loading) and if applying by hand, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length rubber gloves and disposable dust mask covering mouth and nose. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Telephone 13 11 26.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet which can be obtained from your supplier or at agnova.com.au

CONDITIONS OF SALE

AgNova Technologies Pty Ltd and DE SANGOSSE shall not be liable for any consequential or other loss or damage relating to the supply or subsequent handling or use of this product, unless such liability by law cannot be lawfully excluded or limited. All warranties, conditions or rights implied by statute or other law which may be lawfully excluded are so excluded. Where the liability of AgNova Technologies Pty Ltd and DE SANGOSSE for breach of any such statutory warranties and conditions cannot be lawfully excluded but may be limited to it re-supplying the product or an equivalent product or the cost of a product or an equivalent product, then the liability of AgNova Technologies Pty Ltd and DE SANGOSSE for any breach of such statutory warranty or condition is so limited.

[®]SLIMAX is a registered trademark of AgNova Technologies Pty Ltd

APVMA Approval Number: 68963/59506

Distributed by: **AgNova Technologies Pty Ltd** ABN 70 097 705 158 Swite 2, 035 Station Street

Suite 3, 935 Station Street Box Hill North, Vic. 3129 Australia Phone (03) 9899 8100 agnova.com.au



Manufactured by: De Sangosse SA BP547480 Pont Du Casse France

